

Seuic 东集



Forklift application of Tablet



Forklift application

1. Informative and display



2. Work with scanner for warehouse inventory



3. Work with fixed rfid device for warehouse inventory or pallet sku counting




Fixture accessories



AUTOID Pad Air Series Multifunctional docking

8999000174



AUTOID Pad Air series Bracket **8999000309**



AUTOID Pad Air Series connecting rod

103200000055 (connecting rod)
103060100445(M4X16 Screw)

Connecting case from customer



Provided by SEUIC, other
fixture accessories need
adapted by customer
according the particular
structure of forklift




07/31/2022 09:34

Connecting

Case 1

For forklift that is hard to fixed at the lateral beam, can be mounted at the top by adding a tooling.



Connecting

Case 2


For there is round shape beam can be directly mounted to the beam by bind of hoops or directly screwed on the beam.



How about power?

(for reference only, customer can use other more mature way if there is locally)

- a、By power transition units, power supply from forklift (48V/96V transition), be noted the seuic tablet need a stable 9v DC power input by Type-c to the connection docking.
- b、Mobile power station (For example 24000mAh battery) , also can supply power to rfid reader.




Suggest customer choose the proper power transition unit locally


Wiring example for reference



1、 Wrap DC output yellow line and black line with heat shrink tube



3、 DC power transition unit output yellow connect with type-c red line, black connect to type-c bare copper line, white and blue line can not connect, but keep not short circuit.



2、 Wrap heat shrink tube at cutted TYP-C line



4、 Wrap bared copper line with heat shrink tube, and finally wrapped all the line with heat shrink tube for protection.



Seuic 东集